

Talk to your child's doctor or nurse about the vaccines recommended for their age. COVID-19 vaccination is recommended for some adolescents.

	Flu Influenza	Tdap Tetanus, diphtheria, pertussis	HPV Human papillomavirus	Meningococcal		Pneumococcal	Hepatitis B	Hepatitis A	Polio	MMR Measles, mumps, rubella	Chickenpox Varicella
				MenACWY	MenB						
7-8 Years	Shaded	Shaded				Shaded	Shaded	Shaded	Shaded	Shaded	Shaded
9-10 Years	Shaded	Shaded	Shaded				Shaded	Shaded	Shaded	Shaded	Shaded
11-12 Years	Shaded	Shaded	Shaded	Shaded			Shaded	Shaded	Shaded	Shaded	Shaded
13-15 Years	Shaded	Shaded	Shaded	Shaded			Shaded	Shaded	Shaded	Shaded	Shaded
16-18 Years	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded
<b>More Information:</b>	Everyone 6 months and older should get a flu vaccine every year.	All 11- through 12-year-olds should get one shot of Tdap.	All 11- through 12- year olds should get a 2-shot series of HPV vaccine. A 3- shot series is needed for those with weakened immune systems and those who start the series at 15 years or older.	All 11- through 12- year olds should get one shot of meningococcal conjugate (MenACWY). A booster shot is recommended at age 16.	Teens 16-18 years old <b>may</b> be vaccinated with a serogroup B meningococcal (MenB) vaccine.						

These shaded boxes indicate the vaccine should be given if a child is catching-up on missed vaccines.