


Recommended immunizations for children from birth through 6 years old*



Birth	HepB								
1 month									
2 months		RV							
4 months		RV	DTaP						
6 months		RV	DTaP	Hib					
12 months	HepB				Hib				
15 months						PCV			
18 months							DTaP		
19-23 months									
2-3 years									
4-6 years									DTaP
IPV									
Influenza (Yearly)[†]									
MMR									
Varicella									
HepA[‡]									

Is your family growing? To protect your new baby and yourself against whooping cough, get a Tdap vaccine in the third trimester of each pregnancy. Talk to your doctor for more details.

Shaded boxes indicate the vaccine can be given during shown age range.

NOTE: If your child misses a shot, you don't need to start over, just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccines.

FOOTNOTES: * The recommended immunization chart shown above was updated in 2014.
[†] Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting a flu vaccine for the first time and for some other children in this age group.
[‡] Two doses of HepA vaccine are needed for lasting protection. The first dose of HepA vaccine should be given between 12 months and 23 months of age. The second dose should be given 6 to 18 months later. HepA vaccination may be given to any child 12 months and older to protect against HepA. Children and adolescents who did not receive the HepA vaccine and are at high-risk, should be vaccinated against HepA. *If your child has any medical conditions that put him at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that he may need.*

For more information, call toll free
1-800-CDC-INFO (1-800-232-4636)
 or visit
<http://www.cdc.gov/vaccines>



U.S. Department of Health and Human Services
 Centers for Disease Control and Prevention

AMERICAN ACADEMY OF FAMILY PHYSICIANS
STRONG MEDICINE FOR AMERICA

American Academy of Pediatrics
 DEDICATED TO THE HEALTH OF ALL CHILDREN™

DTaP=diphtheria, tetanus, and pertussis; HepA=hepatitis A; HepB=hepatitis B; Hib=Haemophilus influenzae type b; IPV=inactivated polio vaccine; MMR=measles, mumps, and rubella; PCV=pneumococcal conjugate vaccine; RV=rotavirus vaccine. This content was adapted by Pfizer from information provided by the Centers for Disease Control and Prevention.